	Type	Hits	Search Text
1	BRS	91	"6059842" "6449642" "6167567" "6279030" "6029196"
2	BRS	0	"6279030" and (JavaScript)
3	BRS	0	("6059842" "6449642" "6167567") and brower\$2
4	BRS	0	(extract\$5 obtain\$5 gather\$5) with (attribute\$2 or paramet\$2 or information) with (from adj
5	BRS	86	717/151.ccls. and (network or client or server) and (configur\$6)
6	BRS	52	717/151.ccls. and (network or client or server) and (configur\$6) and @ad<20000629
7	BRS	72	717/151.ccls. and (network or client or server) and (configur\$6 or requirement\$2 or prerequiste\$2 or setting\$2 or parameter\$2) and @ad<20000629
8	BRS	1748	717/\$.ccls. and (network or client or server) and (configur\$6) and @ad<20000629
9	BRS	556	717/\$.ccls. and (network or client or server) and (configur\$6) and Java and @ad<20000629
10	BRS	718	717/\$.ccls. and (network and client and server) and (configur\$6) and @ad<20000629
11	BRS	345	717/\$.ccls. and (network and client and server) and (configur\$6) and Java and @ad<20000629
12	BRS	20	(717/151.ccls. and (network or client or server) and (configur\$6 or requirement\$2 or prerequiste\$2 or setting\$2 or parameter\$2) and @ad<20000629) not (717/\$.ccls. and (network or client or server) and (configur\$6) and @ad<20000629)
13	BRS	23	717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment)
14	BRS	10	717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment) and Java

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 15:43		
2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 15:53		
3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 15:54		
4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 15:54		
5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:19		
6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:50		
7	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:50		
8	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:57		
9	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:58		
10	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 13:57		
11	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:06		
12	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:18		
13	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:48		
14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:20		

	Type	Hits	Search Text
15	BRS	10	717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment) and (Java or JavaScript)
16	BRS	13	(717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment)) not (717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment) and (Java or JavaScript))
17	BRS	7	(717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment)) not (717/120.ccls. and (network or server or client).ab. and (configur\$6 or setting\$2 or environment) and (Java or JavaScript)) and @ad <20000629
18	BRS	17	717/120.ccls. and (network or server or client) and (configur\$6 or setting\$2 or environment).ab. and (Java or JavaScript)
19	BRS	4	717/120.ccls. and (network or server or client) and (configur\$6 or setting\$2 or environment).ab. and (Java or JavaScript) and
20	BRS	4	717/120.ccls. and (network or server or client) and (configur\$6 or setting\$2 or environment or compatibl\$4).ab. and (Java or JavaScript) and @ad<20000629
21	BRS	4	717/120.ccls. and (network or server or client) and (configur\$6 or setting\$2 or environment or compatabl\$4).ab. and (Java or JavaScript) and @ad<20000629
22	BRS	4322	(script program) with (gather\$3 or collect\$3 identify or specif\$5 or obtain\$3 produc\$3 or prob\$3) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall)

	DBs	Time Stamp	Comments	Error Definition
15	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:20		
16	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:27		
17	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:27		
18	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:49		
19	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:50		
20	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:51		
21	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 15:51		
22	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:54		

	Type	Hits	Search Text
23	BRS	2695	(script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or prob\$3) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall)
24	BRS	2544	(script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or probe or probing or probbing) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication
25	BRS	1386	(script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or probe or probing or probbing) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall) and server
26	BRS	452	(script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or probe or probing or probbing) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall) same server
27	BRS	4912	(script or program or code) with (configur\$6 set\$5 reconfig\$6) with (application or program or applet) same client
28	BRS	4713	(script or program) with (configur\$6 set\$5 reconfig\$6) with (application or program or applet) same client

	DBs	Time Stamp	Comments	Error Definition
23	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:55		
24	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:57		
25	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:57		
26	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 16:57		
27	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 17:03		
28	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/29 17:03		

	Type	Hits	Search Text
29	BRS	119	((script or program) with (configur\$6 set\$5 reconfig\$6) with (application or program or applet) same client) and ((script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or probe or probing or probbing) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall)
30	BRS	51	((script or program) with (configur\$6 set\$5 reconfig\$6) with (application or program or applet) same client) and ((script program) with (gather\$3 or collect\$3 identify or specify\$3 or obtain\$3 produc\$3 or probe or probing or probbing) near3 ((hardware adj configuration\$2) os (operating adj system) connection settings (browser adj configuration) browser authentication encrypt\$3 firewall) same server) and @ad<20000629
31	BRS	1	"6167567" and (JavaScript)
32	BRS	4	("6279030" "6449642" "6059842") and (JavaScript or script)
33	BRS	7	("6279030") and (hardware)
34	BRS	10	("6279030") and (os or (operating system\$1))
35	BRS	9	("6279030") and (os or (operating adj system\$1))
36	BRS	6	("6279030") and (browser)
37	BRS	10	("6279030") and (browser Internet Web)
38	BRS	3479	JavaScript
39	BRS	17	JavaScript with configur\$6 with client

	;	DBs	Time Stamp	Comments	Error Definition
29		US-PGPUB;); IBM_TDB	2004/06/29 17:03		
30	1	US-PGPUB;); IBM_TDB	2004/06/30 14:27		
31	1	US-PGPUB;); IBM_TDB	2004/06/30 14:31		
32		US-PGPUB;); IBM_TDB	2004/07/01 13:04		
33	1	US-PGPUB;); IBM_TDB	2004/07/01 13:14		
34		US-PGPUB;); IBM_TDB	2004/07/01 13:14		
35		US-PGPUB;); IBM_TDB	2004/07/01 16:20		
36	1	US-PGPUB; D; IBM_TDB	2004/07/01 16:23		
37		US-PGPUB; D; IBM_TDB	2004/07/01 16:25		
38		US-PGPUB; D; IBM_TDB	2004/07/01 16:27		
39		US-PGPUB;); IBM_TDB	2004/07/01 16:27		

	Type	Hits	Search Text
40	BRS	7	JavaScript with configur\$6 with client and @ad<20000629
41	BRS	12	("5155847" "5247683" "5555416" "5689642" "5713009" "5729594" "5732218" "5734831" "5752042" "5774552" "5805897" "5898772").PN.
42	BRS	1	JavaScript with (java and compatible) with client and @ad<20000629
43	BRS	1	(test adj (page or tool)) same JavaScript with (java) and @ad<20000629
44	BRS	73	JavaScript with (support or compatib\$7) with Java and configur\$6
45	BRS	13	JavaScript with (support or compatib\$7) with Java and configur\$6 and @ad<20000629
46	BRS	8	"6279030" and config\$9
47	BRS	9	"6279030" and web
48	BRS	56	(parameter\$2 or attribute\$2) with (configur\$8 near3 browser)
49	BRS	21	(parameter\$2 or attribute\$2) with (configur\$8 near3 browser) and @ad<20000629
50	BRS	45	(parameter\$2 or attribute\$2) with (browser) with (config\$8) and @ad<20000629
51	BRS	12	"6449642" "6151599"
52	BRS	5983	(extract\$5 obtain\$5 gather\$5) with (attribute\$2 or paramet\$2 or information) with (client)
53	BRS	1259	config\$6 same launch\$5 same (application, or program, or software, or component)
54	BRS	82700	(config\$6 or launch\$5) with (application, or program, or software, or component)
55	BRS	3266	(config\$6 with (application\$1 or program\$1 or software or component\$1)) and launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)

	DBs	Time Stamp	Comments	Error Definition
40	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/01 16:42		
41	USPAT	2004/07/01 16:30		
42	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/01 16:45		
43	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/01 17:15		
44	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/01 17:16		
45	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/01 17:16		
46	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/06 11:11		
47	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/06 11:27		
48	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/06 11:29		
49	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/06 11:32		
50	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 10:27		
51	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 11:59		
52	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:26		
53	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:26		
54	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:27		
55	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:28		

	Type	Hits	Search Text
56	BRS	1171	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)
57	BRS	1171	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1))
58	BRS	504	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)) and
59	BRS	66278	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)) and @ad<20000629 (client and server)
60	BRS	0	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)) and @ad<20000629 and (client and server)

	DBs	Time Stamp	Comments	Error Definition
56	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:28		
57	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:29		
58	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:29		
59	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:29		
60	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:35		Error executing BRS command "S((configur\$6 with (application\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or software\$1 or component\$1)) and @ad<2000062 9 and (client and server))"

	Type	Hits	Search Text		
61	BRS	О	(configur\$6 with (application\$1 or program\$1 or software or component\$1)) same (launch\$3 with (application\$1 or program\$1 or software\$1 or component\$1)) and @ad<20000629 and (client and server) and		
62	BRS	0	server with (launch\$3 or execute or run) with (application program software component\$1)		
63	BRS	0	server with (gather\$3 obtain\$3 get receiv\$3 provid\$3) with (parameter\$2 attribute\$2 environment (operating adj system)) with client		
64	BRS	0	server with configur\$5		
65	BRS	0	(server with (launch\$3 or execute or run) with (application program software component\$1)) and (server with (gather\$3 obtain\$3 get receiv\$3 provid\$3) with (parameter\$2 attribute\$2 environment (operating adj system)) with client) and (server with		
66	BRS	0	(server with (launch\$3 or execute or run) with (application program software component\$1)) and (server with (gather\$3 obtain\$3 get receiv\$3 provid\$3) with (parameter\$2 attribute\$2 environment (operating adj system)) with client) and (server with		

	DBs	Time Stamp	Comments	Error Definition
61	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:48		
62	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:51		
63	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:53		
64	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:54		
65	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 13:54		
66	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/08 15:40		